ELSEVIER

Brain Research 743 (1996) 366–368

BRAIN RESEARCH

Author Index

Akaike, A., see Cheng, N.-n. (743) 278
Alkadhi, K.A., see Salgado-Commissariat, D. (743) 212
Alonso-Llamazares, A., see Casanova, E. (743) 320
Androutsellis-Theotokis, A., McCormack, W.J., Bradford, H.F., Stern, G.M. and Pliego-Rivero, F.B.
The depolarisation-induced release of [^{125}I]BDNF from brain tissue (743) 40
Anwar, M., see Ruggiero, D.A. (743) 294
Applegate, C., see Piekut, D. (743) 63
Arai, T., Jones, C.R., Rapoport, S.I. and Weiss, S.R.B.
Evidence for membrane remodeling in ipsilateral thalamus and amygdala following left amygdala-kindled seizures in awake rats (743) 131

Baba-Aissa, F., Raeymaekers, L., Wuytack, F., De Greef, C., Missiaen, L. and Casteels, R.
Distribution of the organellar Ca^{2+} transport ATPase SERCA2 isoforms in the cat brain (743) 141
Bakker, O., see Guldenaar, S.E.F. (743) 93
Balinsky, M., see Fuchs, P.N. (743) 116
Barberis, C., see Dubois-Dauphin, M. (743) 32
Bina, K.G. and Rusak, B.
Muscarinic receptors mediate carbachol-induced phase shifts of circadian activity rhythms in Syrian hamsters (743) 202
Birch, P.J., see Munglani, R. (743) 102
Boobis, A.R., see Riedl, A.G. (743) 324
Bountra, C., see Munglani, R. (743) 102
Bradford, H.F., see Androutsellis-Theotokis, A. (743) 40
Braun, K., see Poeggel, G. (743) 162
Britto, L.R.G., see Torrão, A.S. (743) 154
Buchkremer-Ratzmann, I. and Witte, O.W.
Systemically administered cycloheximide reduces inhibition in rat neocortical slice preparation (743) 329
Burrola, P., see Weinstein, D.E. (743) 11

Calvo, P., see Casanova, E. (743) 320
Casanova, E., Alonso-Llamazares, A., Zamanillo, D., Garate, C., Calvo, P. and Chinchetru, M.A.
Identification of a long huntingtin mRNA transcript in mouse brain (743) 320
Casteels, R., see Baba-Aissa, F. (743) 141
Cataldo, A.M., see Sihag, R.K. (743) 249
Chen, Q. and Reiner, A.
Cellular distribution of the NMDA receptor NR2A/2B subunits in the rat striatum (743) 346
Cheng, N.-n., Maeda, T., Kume, T., Kaneko, S., Kochiyama, H., Akaike, A., Goshima, Y. and Misu, Y.
Differential neurotoxicity induced by L-DOPA and dopamine in cultured striatal neurons (743) 278
Chinchetru, M.A., see Casanova, E. (743) 320
Ciranna, L., Licata, F., Li Volsi, G. and Santangelo, F.
Noradrenaline modifies the spontaneous spiking activity of red nucleus neurons in the rat by activation of α_2- and β- adrenoceptors (743) 284
Courvoisier, H., Moisan, M.-P., Sarrieau, A., Hendley, E.D. and Mormède, P.
Behavioral and neuroendocrine reactivity to stress in the WKHA/WKY inbred rat strains: a multifactorial and genetic analysis (743) 77
Cummings, T.J. and Walker, P.D.
Serotonin depletion exacerbates changes in striatal gene expression following quinolinic acid injection (743) 240

Dai, J., see Kuroki, T. (743) 357
D'Amato, F.R., see Pullia, D. (743) 333
De Bilbao, F., see Dubois-Dauphin, M. (743) 32
De Greef, C., see Baba-Aissa, F. (743) 141
Del Bigio, M.R., see Tuor, U.I. (743) 258
Dubois-Dauphin, M., Barberis, C. and De Bilbao, F.
Vasopressin receptors in the mouse *(Mus musculus)* brain: sex-related expression in the medial preoptic area and hypothalamus (743) 32
Dun, N.J., see Miyazaki, T. (743) 1

Edwards, R.J., see Riedl, A.G. (743) 324
Eguchi, T., Takano, Y., Hatae, T., Saito, R., Yasuhisa Nakayama, , Shigeyoshi, Y., Okamura, H., Krause, J.E. and Kamiya, H.-o.
Antidiuretic action of tachykinin NK-3 receptor in the rat paraventricular nucleus (743) 49
Elliot, P.J., see Munglani, R. (743) 102
Endo, S., see Ohmori, T. (743) 109
Enmark, E., see Kainu, T. (743) 315

Fink, J.S., see Pollack, A.E. (743) 124
Fliers, E., see Guldenaar, S.E.F. (743) 93
Fuchs, P.N., Balinsky, M. and Melzack, R.
Electrical stimulation of the cingulum bundle and surrounding cortical tissue reduces formalin-test pain in the rat (743) 116

Garate, C., see Casanova, E. (743) 320
Goshima, Y., see Cheng, N.-n. (743) 278
Goto, S., see Yamada, K. (743) 233
Guarnieri, T., see Villani, L. (743) 353
Guldenaar, S.E.F., Veldkamp, B., Bakker, O., Wiersinga, W.M., Swaab, D.F. and Fliers, E.
Thyrotropin-releasing hormone gene expression in the human hypothalamus (743) 93
Gustafsson, J.-Å., see Kainu, T. (743) 315

Harrison, S.M., see Munglani, R. (743) 102
Hatae, T., see Eguchi, T. (743) 49
Hauser, K.F., see Knapp, P.E. (743) 341
Hendley, E.D., see Courvoisier, H. (743) 77
Hertting, G., see Ries, V. (743) 303
Hirashima, Y., see Ohmori, T. (743) 109
Hjelle, O.P., see Usami, S.-i. (743) 337
Hosono, T., see Tanii, H. (743) 263
Hunt, S.P., see Munglani, R. (743) 102

Ichikawa, J., see Kuroki, T. (743) 357
Ikura, Y., see Tanii, H. (743) 263

Jackisch, R., see Ries, V. (743) 303
Jansen, F.P., see Mochizuki, T. (743) 178
Jenner, P., see Riedl, A.G. (743) 324
Jiang, Z.D., King, A.J. and Moore, D.R.
Topographic organization of projection from the parabigeminal nucleus to the superior colliculus in the ferret revealed with fluorescent latex microspheres (743) 217
Jones, C.R., see Arai, T. (743) 131

Kainu, T., Enmark, E., Gustafsson, J.-Å. and Pelto-Huikko, M.
Localization of the Rev-ErbA orphan receptors in the brain (743) 315
Kamiya, H.-o., see Eguchi, T. (743) 49
Kaneko, S., see Cheng, N.-n. (743) 278
Kilpatrick, T.J., see Weinstein, D.E. (743) 11
King, A.J., see Jiang, Z.D. (743) 217

Kitagawa, K., see Matsushita, K. (743) 362
Knapp, P.E. and Hauser, K.F.
μ-Opioid receptor activation enhances DNA synthesis in immature oligodendrocytes (743) 341
Kobayashi, H., see Miyazaki, T. (743) 1
Kochiyama, H., see Cheng, N.-n. (743) 278
Krause, J.E., see Eguchi, T. (743) 49
Kristal, M.B., see Thompson, A.C. (743) 184
Kudo, T., see Tanii, H. (743) 263
Kume, T., see Cheng, N.-n. (743) 278
Kurimoto, M., see Ohmori, T. (743) 109
Kuroki, T., Ichikawa, J., Dai, J. and Meltzer, H.Y.
R(+)-8-OH-DPAT, a 5-HT_{1A} receptor agonist, inhibits amphetamine-induced serotonin and dopamine release in rat medial prefrontal cortex (743) 357

Leurs, R., see Mochizuki, T. (743) 178
Licata, F., see Ciranna, L. (743) 284
Lindstrom, J.M., see Torrão, A.S. (743) 154
Li Volsi, G., see Ciranna, L. (743) 284
Lovell, M.A., see Xie, C.X. (743) 271
Lucius, R. and Sievers, J.
Postnatal retinal ganglion cells in vitro: protection against reactive oxygen species (ROS)-induced axonal degeneration by co-cultured astrocytes (743) 56
Lutfy, K. and Weber, E.
Attenuation of nociceptive responses by ACEA-1021, a competitive NMDA receptor/glycine site antagonist, in the mice (743) 17

Mabuchi, T., see Matsushita, K. (743) 362
Maeda, T., see Cheng, N.-n. (743) 278
Maeyama, K., see Mochizuki, T. (743) 178
Mandai, K., see Matsushita, K. (743) 362
Marsden, C.D., see Riedl, A.G. (743) 324
Matsumoto, M., see Matsushita, K. (743) 362
Matsushita, K., Kitagawa, K., Matsuyama, T., Ohtsuki, T., Taguchi, A., Mandai, K., Mabuchi, T., Yagita, Y., Yanagihara, T. and Matsumoto, M.
Effect of systemic zinc administration on delayed neuronal death in the gerbil hippocampus (743) 362
Matsuyama, T., see Matsushita, K. (743) 362
Mattson, M.P., see Xie, C.X. (743) 271
Mayhan, W.G.
Role of nitric oxide in histamine-induced increases in permeability of the blood–brain barrier (743) 70
McCormack, W.J., see Androutsellis-Theotokis, A. (743) 40
Mele, A., see Pullia, D. (743) 333
Meltzer, H.Y., see Kuroki, T. (743) 357
Melzack, R., see Fuchs, P.N. (743) 116
Missiaen, L., see Baba-Aissa, F. (743) 141
Misu, Y., see Cheng, N.-n. (743) 278
Miyazaki, T., Dun, N.J., Kobayashi, H. and Tosaka, T.
Voltage-dependent potassium currents of sympathetic preganglionic neurons in neonatal rat spinal cord thin slices (743) 1
Mochizuki, T., Jansen, F.P., Leurs, R., Windhorst, A.D., Yamatodani, A., Maeyama, K. and Timmerman, H.
Brain penetration of the histamine H_3 receptor antagonists thioperamide and clobenpropit in rat and mouse, determined with ex vivo [^{125}I]iodophenpropit binding (743) 178
Moga, M.M. and Moore, R.Y.
Putative excitatory amino acid projections to the suprachiasmatic nucleus in the rat (743) 171
Moisan, M.-P., see Courvoisier, H. (743) 77
Moore, D.R., see Jiang, Z.D. (743) 217
Moore, R.Y., see Moga, M.M. (743) 171
Mormède, P., see Courvoisier, H. (743) 77
Mtui, E.P., see Ruggiero, D.A. (743) 294
Munglani, R., Harrison, S.M., Smith, G.D., Bountra, C., Birch, P.J., Elliot, P.J. and Hunt, S.P.
Neuropeptide changes persist in spinal cord despite resolving hyperalgesia in a rat model of mononeuropathy (743) 102

Niigawa, H., see Tanii, H. (743) 263
Nishimura, T., see Tanii, H. (743) 263

Ohmori, T., Hirashima, Y., Kurimoto, M., Endo, S. and Takaku, A.
In vitro hypoxia of cortical and hippocampal CA1 neurons: glutamate, nitric oxide, and platelet activating factor participate in the mechanism of selective neural death in CA1 neurons (743) 109
Ohtsuki, T., see Matsushita, K. (743) 362
Okamura, A., see Yamada, K. (743) 233
Okamura, H., see Eguchi, T. (743) 49
Oliverio, A., see Pullia, D. (743) 333
Otake, K., see Ruggiero, D.A. (743) 294
Ottersen, O.P., see Usami, S.-i. (743) 337

Pavone, F., see Pullia, D. (743) 333
Pelto-Huikko, M., see Kainu, T. (743) 315
Phipps, B., see Piekut, D. (743) 63
Piekut, D., Phipps, B., Pretel, S. and Applegate, C.
Effects of generalized convulsive seizures on corticotropin-releasing factor neuronal systems (743) 63
Pliego-Rivero, F.B., see Androutsellis-Theotokis, A. (743) 40
Poeggel, G. and Braun, K.
Early auditory filial learning in degus (*Octodon degus*): behavioral and autoradiographic studies (743) 162
Pollack, A.E. and Fink, J.S.
Synergistic interaction between an adenosine antagonist and a D_1 dopamine agonist on rotational behavior and striatal c-Fos induction in 6-hydroxydopamine-lesioned rats (743) 124
Pretel, S., see Piekut, D. (743) 63
Pullia, D., D'Amato, F.R., Mele, A., Oliverio, A., Zocchi, A. and Pavone, F.
Time-related effects of stress on cholinergic sensitivity (743) 333

Raeymaekers, L., see Baba-Aissa, F. (743) 141
Rapoport, S.I., see Arai, T. (743) 131
Reiner, A., see Chen, Q. (743) 346
Riedl, A.G., Watts, P.M., Edwards, R.J., Boobis, A.R., Jenner, P. and Marsden, C.D.
Selective localisation of P450 enzymes and NADPH-P450 oxidoreductase in rat basal ganglia using anti-peptide antisera (743) 324
Ries, V., Hertting, G. and Jackisch, R.
Properties of 3,4-diaminopyridine-evoked dopamine and acetylcholine release in rabbit caudate nucleus slices: involvement of facilitatory adenosine A_2 receptors or nitric oxide? (743) 303
Ruggiero, D.A., Mtui, E.P., Otake, K. and Anwar, M.
Vestibular afferents to the dorsal vagal complex: substrate for vestibular-autonomic interactions in the rat (743) 294
Rusak, B., see Bina, K.G. (743) 202

Saito, R., see Eguchi, T. (743) 49
Sakamoto, S., see Tanii, H. (743) 263
Salgado-Commissariat, D. and Alkadhi, K.A.
Effects of serotonin on induced epileptiform activity in CA1 pyramidal neurons of genetically epilepsy prone rats (743) 212
Santangelo, F., see Ciranna, L. (743) 284
Sarrieau, A., see Courvoisier, H. (743) 77
Shigeyoshi, Y., see Eguchi, T. (743) 49
Sievers, J., see Lucius, R. (743) 56
Sihag, R.K. and Cataldo, A.M.
Brain β-spectrin is a component of senile plaques in Alzheimer's disease (743) 249
Smith, G.D., see Munglani, R. (743) 102
Stephens, M.J. and Yang, J.F.
Short latency, non-reciprocal group I inhibition is reduced during the stance phase of walking in humans (743) 24
Stern, G.M., see Androutsellis-Theotokis, A. (743) 40
Swaab, D.F., see Guldenaar, S.E.F. (743) 93

Taguchi, A., see Matsushita, K. (743) 362
Takaku, A., see Ohmori, T. (743) 109
Takano, Y., see Eguchi, T. (743) 49
Takeda, M., see Tanii, H. (743) 263
Taniguchi, N., see Tanii, H. (743) 263
Tanii, H., Taniguchi, N., Niigawa, H., Hosono, T., Ikura, Y., Sakamoto, S., Kudo, T., Nishimura, T. and Takeda, M.
Development of an animal model for neuroleptic malignant syndrome: heat-exposed rabbits with haloperidol and atropine administration exhibit increased muscle activity, hyperthermia, and high serum creatine phosphokinase level (743) 263
Thompson, A.C. and Kristal, M.B.
Opioid stimulation in the ventral tegmental area facilitates the onset of maternal behavior in rats (743) 184
Timmerman, H., see Mochizuki, T. (743) 178
Torrão, A.S., Lindstrom, J.M. and Britto, L.R.G.
Presumptive presynaptic nicotinic acetylcholine receptors in the chick tectum: effects of lesions of the lateral spiriform nucleus (743) 154
Tosaka, T., see Miyazaki, T. (743) 1

Tsuruoka, M. and Willis, W.D.
Descending modulation from the region of the locus coeruleus on nociceptive sensitivity in a rat model of inflammatory hyperalgesia (743) 86
Tuor, U.I. and Del Bigio, M.R.
Protection against hypoxic–ischemic damage with corticosterone and dexamethasone: inhibition of effect by a glucocorticoid antagonist, RU38486 (743) 258

Usami, S.-i., Hjelle, O.P. and Ottersen, O.P.
Differential cellular distribution of glutathione – an endogenous antioxidant – in the guinea pig inner ear (743) 337
Ushio, Y., see Yamada, K. (743) 233

Veldkamp, B., see Guldenaar, S.E.F. (743) 93
Villani, L. and Guarnieri, T.
Localization of nitric oxide synthase in the goldfish retina (743) 353

Walker, P.D., see Cummings, T.J. (743) 240
Watts, P.M., see Riedl, A.G. (743) 324
Weber, E., see Lutfy, K. (743) 17
Weinstein, D.E., Burrola, P. and Kilpatrick, T.J.
Increased proliferation of precursor cells in the adult rat brain after targeted lesioning (743) 11
Weiss, S.R.B., see Arai, T. (743) 131
Wiersinga, W.M., see Guldenaar, S.E.F. (743) 93
Willis, W.D., see Tsuruoka, M. (743) 86
Windhorst, A.D., see Mochizuki, T. (743) 178
Witte, O.W., see Buchkremer-Ratzmann, I. (743) 329
Wuytack, F., see Baba-Aissa, F. (743) 141

Xie, C.X., Mattson, M.P., Lovell, M.A. and Yokel, R.A.
Intraneuronal aluminum potentiates iron-induced oxidative stress in cultured rat hippocampal neurons (743) 271

Yagita, Y., see Matsushita, K. (743) 362
Yamada, K., Goto, S., Yoshikawa, M., Okamura, A. and Ushio, Y.
Involvement of *N*-methyl-D-aspartate receptor in the delayed transneuronal regression of substantia nigra neurons in rats (743) 233
Yamatodani, A., see Mochizuki, T. (743) 178
Yanagihara, T., see Matsushita, K. (743) 362
Yang, J.F., see Stephens, M.J. (743) 24
Yasuhisa Nakayama, , see Eguchi, T. (743) 49
Yokel, R.A., see Xie, C.X. (743) 271
Yoshikawa, M., see Yamada, K. (743) 233

Zamanillo, D., see Casanova, E. (743) 320
Zocchi, A., see Pullia, D. (743) 333